

			M	W _{min}	σ	ι	f/l	M	W _{min}	σ	ι	f/l	M	W _{min}	σ	ι	f/l	M	W _{min}	σ	ι	f/l	
			TM	CM ³	KГ/CM ²	KГ/CM ²	CM	TM	CM ³	KГ/CM ²	KГ/CM ²	CM	TM	CM ³	KГ/CM ²	KГ/CM ²	CM	TM	CM ³	KГ/CM ²	KГ/CM ²	CM	
J _x =20,58CM ⁴	Профнастил Н45-900-0,5	q _{1расч.} =160кГ/м2	0,045	8,089	556,0	38,0	$\frac{1}{768}$	0,080	8,089	989,0	51,0	$\frac{1}{324}$	0,125	8,089	1545,0	64,0	$\frac{1}{165}$	0,156	8,089	1938,0	72,0	$\frac{1}{119}$	
		q _{2расч.} =200кГ/м2	0,056	8,089	692,0	48,0	$\frac{1}{617}$	0,100	8,089	1236,0	64,0	$\frac{1}{259}$	0,156	8,089	1931,0	80,0	$\frac{1}{133}$	0,196	8,089	2423,0	-	-	
		q _{3расч.} =250кГ/м2	0,070	8,089	865,0	60,0	$\frac{1}{494}$	0,125	8,089	1545,0	80,0	$\frac{1}{207}$	0,195	8,089	2400,0	-	-	-	-	-	-	-	-
		q _{4расч.} =300кГ/м2	0,084	8,089	1038,0	72,0	$\frac{1}{411}$	0,150	8,089	1854,0	95,0	$\frac{1}{173}$	-	-	-	-	-	-	-	-	-	-	-
J _x =24,69CM ⁴	Профнастил Н45-900-0,6	q _{1расч.} =160кГ/м2	0,045	9,688	465,0	32,0	$\frac{1}{921}$	0,080	9,688	826,0	43,0	$\frac{1}{388}$	0,125	9,688	1290,0	53,0	$\frac{1}{199}$	0,156	9,688	1610,0	60,0	$\frac{1}{142}$	
		q _{2расч.} =200кГ/м2	0,056	9,688	578,0	40,0	$\frac{1}{740}$	0,100	9,688	1032,0	53,0	$\frac{1}{311}$	0,156	9,688	1610,0	66,0	$\frac{1}{160}$	0,196	9,688	2023,0	75,0	$\frac{1}{113}$	
		q _{3расч.} =250кГ/м2	0,070	9,688	723,0	50,0	$\frac{1}{592}$	0,125	9,688	1290,0	66,0	$\frac{1}{248}$	0,195	9,688	2013,0	83,0	$\frac{1}{128}$	0,245	9,688	2530,0	-	-	
		q _{4расч.} =300кГ/м2	0,084	9,688	867,0	60,0	$\frac{1}{494}$	0,150	9,688	1548,0	79,0	$\frac{1}{207}$	0,234	9,688	2415,0	-	-	0,294	-	-	-	-	
J _x =28,815CM ⁴	Профнастил Н45-900-0,7	q _{1расч.} =160кГ/м2	0,045	11,280	398,0	28,0	$\frac{1}{1075}$	0,080	11,280	710,0	36,0	$\frac{1}{454}$	0,125	11,280	1008,0	45,4	$\frac{1}{232}$	0,156	11,280	1383,0	51,0	$\frac{1}{166}$	
		q _{2расч.} =200кГ/м2	0,056	11,280	496,0	34,0	$\frac{1}{865}$	0,100	11,280	886,5	46,0	$\frac{1}{363}$	0,156	11,280	1383,0	57,0	$\frac{1}{186}$	0,196	11,280	1738,0	64,0	$\frac{1}{132}$	
		q _{3расч.} =250кГ/м2	0,070	11,280	621,0	43,0	$\frac{1}{692}$	0,125	11,280	1108,0	57,0	$\frac{1}{290}$	0,195	11,280	1729,0	71,0	$\frac{1}{150}$	0,245	11,280	2172,0	79,0	$\frac{1}{105}$	
		q _{4расч.} =300кГ/м2	0,084	11,280	745,0	51,0	$\frac{1}{576}$	0,150	11,280	1330,0	68,0	$\frac{1}{242}$	0,234	11,280	2075,0	85,0	$\frac{1}{124}$	0,294	11,280	2606,0	-	-	
J _x =32,93CM ⁴	Профнастил Н45-900-0,8	q _{1расч.} =160кГ/м2	0,045	12,860	350,0	24,0	$\frac{1}{1230}$	0,080	12,860	622,0	32,0	$\frac{1}{519}$	0,125	12,860	972,0	40,0	$\frac{1}{266}$	0,156	12,860	1213,0	44,0	$\frac{1}{190}$	
		q _{2расч.} =200кГ/м2	0,056	12,860	436,0	30,0	$\frac{1}{988}$	0,100	12,860	778,0	40,0	$\frac{1}{415}$	0,156	12,860	1213,0	50,0	$\frac{1}{213}$	0,196	12,860	1524,0	56,0	$\frac{1}{151}$	
		q _{3расч.} =250кГ/м2	0,070	12,860	545,0	38,0	$\frac{1}{790}$	0,125	12,860	972,0	50,0	$\frac{1}{332}$	0,195	12,860	1516,0	62,0	$\frac{1}{170}$	0,245	12,860	1905,0	69,0	$\frac{1}{120}$	
		q _{4расч.} =300кГ/м2	0,084	12,860	654,0	45,0	$\frac{1}{659}$	0,150	12,860	1167,0	60,0	$\frac{1}{277}$	0,234	12,860	1820,0	75,0	$\frac{1}{142}$	0,294	12,860	2286,0	-	-	
J _x =3,23CM ⁴	Профнастил С18-1080-0,5	q _{1расч.} =160кГ/м2	0,045	2,720	1654,0	84,0	$\frac{1}{120}$	0,080	2,720	2942,0	-	-	0,125	2,720	-	-	-	0,156	2,720	-	-	-	
		q _{2расч.} =200кГ/м2	0,056	2,720	2059,0	104,0	$\frac{1}{97}$	0,100	2,720	-	-	-	0,156	2,720	-	-	-	0,196	2,720	-	-	-	
		q _{3расч.} =250кГ/м2	0,070	2,720	2574,0	-	-	0,125	2,720	-	-	-	0,195	2,720	-	-	-	0,245	2,720	-	-	-	
		q _{4расч.} =300кГ/м2	0,084	2,720	-	-	-	0,150	2,720	-	-	-	0,234	2,720	-	-	-	0,294	2,720	-	-	-	
J _x =3,55CM ⁴	Профнастил С18-1080-0,55	q _{1расч.} =160кГ/м2	0,045	2,990	1506,0	76,0	$\frac{1}{133}$	0,080	2,990	2676,0	-	-	0,125	2,990	-	-	-	0,156	2,990	-	-	-	
		q _{2расч.} =200кГ/м2	0,056	2,990	1873,0	95,0	$\frac{1}{106}$	0,100	2,990	-	-	-	0,156	2,990	-	-	-	0,196	2,990	-	-	-	
		q _{3расч.} =250кГ/м2	0,070	2,990	2342,0	-	-	0,125	2,990	-	-	-	0,195	2,990	-	-	-	0,245	2,990	-	-	-	
		q _{4расч.} =300кГ/м2	0,084	2,990	-	-	-	0,150	2,990	-	-	-	0,234	2,990	-	-	-	0,294	2,990	-	-	-	